# VITSŒ

### GBP Price List Apr 2022

606 Universal Shelving System 620 Chair Programme 621 Table

### Honest pricing

We charge all our customers a single, fair, honest price. vitsoe.com/honestpricing

VAT inclusive prices are calculated at the VAT rate of 20%.

All prices are subject to change. vitsoe.com/terms

#### Free UK delivery

All UK orders are delivered free of charge by us or our delivery partner. vitsoe.com/delivery

#### Installation and assembly

You can install the shelves or assemble the chairs yourself (we supply fixings, detailed instructions and templates) or with the help of a capable friend. We can install your shelves in the UK, starting from £195 inc VAT. Your Vitsœ planner will give you a price.

#### **Constantly evolving**

For more than half a century we have made furniture to which you can add whenever you need. As that furniture has evolved in response to a changing world some technical details, colours, materials and textures may now differ from those you already own. This ethos ensures that your latest purchase is the best we can make today.

### Contact

email@vitsoe.com T +44 (0)1926 936 606 T +44 (0)20 7428 1606

## 606 Universal Shelving System

| Scale 1:50                            |   |                        | Height Width Depth<br>cm cm cm   | £ inc VAT                  |
|---------------------------------------|---|------------------------|----------------------------------|----------------------------|
|                                       | <b>E-Track</b><br>Anodised aluminium<br>These may be added toge<br>lengthways. NB a single pi<br>is omitted at the join of tw | in-hole                | 57                               | 35<br>45<br>55<br>60<br>65 |
|                                       | For single shelf. Shelf is le<br>with top and bottom of the<br>Solid wall, X-Post or H-Pos<br>Light loading only.             | e E-Track.             | 1122                             | 20                         |
|                                       | For single cabinet. Cabinet<br>with top and bottom of the<br>Cannot be added to bottor<br>existing E-Track.                   | e E-Track.             | 39.522                           | 30                         |
|                                       | Cutting charge  |                        |                                  | 20                         |
|                                       | <b>X-Post</b><br>Anodised aluminium   | Recommended<br>E-Track | Height                           |                            |
|                                       | If semi-wall mounted,   | 171                    | up to 230                        | 175                        |
|                                       | supplied with floor plate.<br>If compressed, supplied   | 200                    | 231–260                          | 187                        |
|                                       | with floor and ceiling plates.  | 228                    | 261–290                          | 199                        |
|                                       | For semi-wall mounted,  | 200+57                 | 291–320                          | 211                        |
|                                       | select overall height.<br>For compressed, select<br>ceiling height.   | 171+114                | 321–350 max                      | 223                        |
|                                       | <b>H-Post</b> available for taller or free-standing systems   |                        |                                  |                            |
| <ul><li>● ►</li><li>● ►</li></ul>     | Wall bracket<br>Powder-coated aluminium<br>2 per X-Post or 3 if height  | is 300cm+              | 12.5 12.5 6–7<br>12.5 12.5 10–11 | 30<br>35                   |
|                                       | Barrel extension  |                        | 1.5 1.5 6.5                      | 15                         |
| · · · · · · · · · · · · · · · · · · · | <b>Cross rail</b><br>Anodised aluminium   |                        | 5                                | 55<br>65                   |
|                                       | 2 per bay or 3 if height is 3   | 300cm+                 | 17.562.21.5<br>17.586.71.5       | 100<br>110                 |
| Scale 1:20                            | <b>Stabilising foot</b><br>Powder-coated aluminium<br>Single<br>One pair  |                        | 17.54.546<br>17.54.580           | 75<br>150                  |
| 0 🖉 Scale 1:20                        | <b>Cable conduit (grey)</b><br>For use with cross rails an  | d X-Posts              | 2                                | 8<br>11                    |

GBP Price List, Apr 2022


| 606 Unive  | rsal Shelving | g System  |      |              |                      |                       | Off-white,                    |                    |
|------------|---------------|---|------|--------------|----------------------|-----------------------|-------------------------------|--------------------|
| Scale 1:50 |               |   |      | Height<br>cm | Width<br>cm          | Usable<br>depth<br>cm | silver,<br>black<br>£ inc VAT | Beech<br>£ inc VAT |
|            |               | <b>Metal shelf</b><br>May be hung either way up.<br>Capacity: 62 CDs, 43 DVDs                                     |      | 11<br>11     | 65.5<br>65.5<br>65.5 | 22<br>30              | 60<br>67<br>74<br>81          |                    |
|            |               | Capacity: 86 CDs, 60 DVDs   |      | 11<br>11     | 90<br>90<br>90       | 22<br>30              | 78<br>85<br>92<br>99          |                    |
|            |               | Shelf with hanging rail   |      |              | 65.5<br>90           |                       | 145<br>170                    |                    |
| L R        | L R           | Bookend Lov<br>Left or right. Hig<br>Non-tip, non-slip  |      |              | 10.5                 |                       | 20<br>25                      |                    |
| A2         | 79°           | Sloping shelf79Metal79  |      |              | 65.5<br>90           |                       | 110<br>120                    |                    |
|            | 18°           | 18'<br>18'  |      |              | 65.5<br>90           |                       | 95<br>105                     |                    |
|            |               | <b>Mounting panel</b><br>Polyurethane lacquer with aluminium side   | es   |              | 65.5                 |                       | 120<br>140                    |                    |
|            |               | <b>Single shelf</b> (light loading)<br>Painted or beech veneered, with<br>aluminium sides, may be hung either way | у ир |              | 65.5                 |                       | 170<br>200                    | 240<br>270         |
|            |               | <b>Double shelf</b><br>Painted or beech veneered, with<br>aluminium sides, may be hung either way                 | y up |              | 65.5<br>90           |                       | 240<br>280                    | 330<br>370         |
|            |               | <b>Desk shelf</b><br>Laminate <sup>1</sup> or beech veneered, with<br>aluminium sides, may be hung either way     | y up |              | 65.5<br>90           | -                     | 360<br>395                    | 460<br>495         |

Integrated table

Laminate<sup>1</sup> or beech-veneered top<sup>2</sup>, with

aluminium brackets. 80cm- and 120cm-

deep tables are supplied with a single leg. 160cm-deep table is supplied with two legs.



560

600

630

670

460

500

695

510

550

750

74 ...... 65.5 ..... 80

74 ...... 65.5 ..... 120

74 ...... 65.5 ..... 160

74 ...... 90 ...... 80

74 ...... 90 ...... 120

74 ...... 90 ...... 160

### 606 Universal Shelving System

| Scale 1:50                 | System   | <b>Internal</b><br>height<br>cm | width<br>cm              | depth<br>cm         | <b>Externa</b><br>height<br>cm | l<br>width<br>cm | depth<br>cm | Off-white,<br>silver,<br>black<br>£ inc VAT | Beech<br>£ inc VA1 |
|----------------------------|--|---------------------------------|--------------------------|---------------------|--------------------------------|------------------|-------------|---|--------------------|
|                            | Shelf with drawer  |                                 | .56.5<br>.81             |                     | 11<br>11                       |                  |             | 295<br>345                                  | 340<br>390         |
|                            | Cabinet:<br>one drawer   |                                 | 55.5                     |                     | 39.5<br>39.5                   |                  |             | 595<br>680                                  | 670<br>755         |
|                            | Cabinet:<br>one drawer with lock   |                                 | 55.5                     |                     | 39.5<br>39.5                   |                  |             | 645<br>730                                  | 720<br>805         |
|                            | The 65.5cm cabinet ho<br>cabinet holds 60cm of<br>rails that accommodate       | olds 30cm<br>suspensio          | of suspe<br>on files. Ir | nsion fi<br>ncludes | les and th<br>adjustable       | e 90cm           |             |   |                    |
|                            | Cabinet:<br>two drawers  |                                 | 56.5<br>81               |                     | 39.5<br>39.5                   |                  |             | 680<br>765                                  | 755<br>840         |
|                            | Cabinet:<br>three drawers  |                                 | 56.5                     |                     | 39.5<br>39.5                   |                  |             | 765<br>850                                  | 840<br>925         |
|                            | Cabinet:<br>up-and-over door   |                                 | 62.5<br>87               |                     | 39.5<br>39.5                   |                  |             | 680<br>765                                  | 755<br>840         |
|                            | Cabinet:<br>fold-down door<br>with lock  |                                 | 62.5<br>87               |                     | 39.5<br>39.5                   |                  |             | 710<br>795                                  | 785<br>870         |
|                            | <b>Open back</b><br>Optional open back for                                     | wiring an                       | d ventilat               | ion                 |                                | 65.5<br>90       |             | 25<br>30                                    |                    |
|                            | Internal shelf (black r<br>For up-and-over and<br>fold-down door cabine        | -                               |                          |                     | 1.5<br>1.5                     |                  |             | 40<br>45                                    |                    |
| capacity: 108 CDs, 36 DVDs | Drawer dividers (blac  |                                 |                          |                     | 4.5                            | 56.5             | 30.5        | 45  |                    |
| Capacity: 162 CDs, 72 DVDs | Adjustable spacing sui<br>stationery, bottles, clot<br>CDs and DVDs in two-    | hing etc;                       |                          | /                   | 4.5                            | 81               | 30.5        | 55  |                    |
|                            | Drawer liner (charcoa<br>For use in all drawers<br>One liner per drawer        | Il-grey wo                      | ool felt)                |                     |                                | 56.5<br>81       |             | 15<br>18                                    |                    |
|                            | <b>Aluminium tray (natu</b><br>2 per 65.5cm desk she<br>3 per 90cm desk shelf, | elf, double                     | shelf or c               |                     | 6                              | 29               | 32          | 45  |                    |
|                            | <b>Aluminium pencil tra</b><br>For use with drawer di                          |                                 |                          | d)                  | 2                              | 21.5             | 30.5        | 30  |                    |

### 606 Universal Shelving System

**Metal** is epoxy polyester powdercoated pre-treated mild steel.

Prolonged exposure to excessive moisture is not recommended.

**Beech** is acid-catalysed lacquer over beech veneered and solid lipped laminboard (shelves) or MDF (cabinets). Beech will darken naturally when first exposed to sunlight; it is therefore advisable to move items on the surfaces during the early months of use.

The beech-veneered surfaces of the cabinets, desk shelves and tables are real beech wood. They are not artificial. Beech veneer may contain small knots that are part of the natural character of the wood, making each surface unique.

Do not subject beech to heat or moisture. Beech will darken naturally when first exposed to sunlight; it is therefore advisable to move items on the surfaces during the early months of use. Beware that electrical equipment can become hot in use. For example, put your laptop on a stand or a mat.

If you would prefer a uniform finish, we recommend you buy off-white, black or silver surfaces.

The fronts and backs of beech cabinets and shelf with drawer will be the same colour as ordered shelves (off-white, black or silver).

**Cabinet** tops/bottoms/fronts, the mounting panel and the shelf with drawer in off-white, black or silver are polyurethane lacquer over MDF.

#### Colours Off-white


Black

Silver

| RAL | 9002 |
|-----|------|
| RAL | 9005 |
| RAI | 9006 |


### Off-white colour

The colour of off-white cabinets changed slightly on 1 December 2001 to become a true RAL 9002.



Vertical dimensions are +/- 0.5cm

### 620 Chair Programme



42

### 620 Chair Programme

| Scale 1:50 |  | £ inc VAT      |  | Linen<br>£ inc VAT | Leather<br>£ inc VAT |
|------------|--|----------------|--|--------------------|----------------------|
|            | Adding individual<br>components                            |                | Replacement upholstery   |                    |                      |
| L R        | Arm (left)   | 325            | Seat-cushion cover   | 375                | 395                  |
|            | Arm (right)  | 325            | Low-back cushion cover<br>High-back cushion cover<br>(inc head)    | 375<br>495         | 395<br>565           |
|            |  |                | Footstool cushion cover  | 375                | 395                  |
|            | Back (low)   | 410            | Arm upholstery (left)<br>Arm upholstery (right)                    | 275<br>275         | 295<br>295           |
|            |  |                | Chair-base cover<br>Footstool base cover                           | 475<br>295         | 515<br>375           |
|            | Back (high)  | 595            |  |                    |                      |
|            | Scuff panel  | 115            |  |                    |                      |
|            | Chair base<br>Footstool base                               | 1,495<br>1,125 |  |                    | £ inc VAT            |
|            | Swivel   | 350            | New cushion<br>without upholstery                                  |                    |                      |
|            | Chair-base plate<br>with castors at front,<br>feet at back | 155            | Seat cushion   |                    | 95                   |
|            | Joining bracket<br>with one castor<br>and one foot         | 115            | Low-back cushion<br>High-back cushion (ex<br>head)<br>Head-cushion |                    | 95<br>95<br>60       |
|            | Castor<br>Foot   | 14<br>14       | Footstool cushion  |                    | 95                   |
|            | Pig-nosed tool   | 20             |  |                    |                      |

### Shells

The chair shells are made from hot-pressed sheet-moulding compound (similar but stronger than glass-reinforced polyester) which are polyurethane-lacquered.

#### Shell colours

| Off-white |  |
|-----------|--|
| Black     |  |

RAL 9002

RAL 9005

The surface structure has not been altered in any way, nor has any coating been applied. The result is a breathable material that shows its natural scars, scratches and wrinkles - and will develop an enviable patina with age. Importantly, the uncoated surface is breathable, allowing the leather to feel warm in winter and cool in summer.

Chocolate

Midniaht

Black

chrome-tanned and aniline-dyed.

### Colours

Leather

Our leather is full-grain,

Olive brown Red Cinnamon

### Linen

Our 100%-pure linen is soft but surprisingly durable, achieving more than 30,000 rubs on the demanding Martindale test. The linen is hypoallergenic and breathable - and wears its characteristic slubs with pride. Its flax is grown and woven in northern Europe without the use of pesticides or irrigation - and is zero waste.

### Colours Flax Marine

Loden Grey

#### Notes on colour

Some colour variation from batch to batch for leather and linen should be expected. Exposure to sunlight and/or oils from the skin may result in colour change over time. Natural dyes from clothes - especially indigo - may transfer to upholstery. Take care, especially when your friends visit in new clothes. Where possible, shade leather and linen from direct sunlight.

### 621 Table

| Scale 1:20 |      |              | H  | eight<br>m | Width<br>cm | Depth<br>cm | Weight<br>kg | £ inc VAT |
|------------|------|--------------|----|------------|-------------|-------------|--------------|-----------|
|            | 52.5 | Large        | 4  | 5          | 52.5        | . 32        | 5.5          | 325       |
| 30         | 46.5 | Small        | 36 | 6          | 46.5        | . 30        | 4.5          | 295       |
|            |      | Nesting pair |    |            |             |             |              | 575       |

### Materials

The table is injection-moulded in virgin plastic – the quest for a suitable recycled material continues.

### Feet

Adjustable feet allow for 4mm height adjustment; their use is optional.

Hand-painted in a textured polyurethane finish, the table can be cleaned with a damp cloth. The use of abrasive cleaners should be avoided. **Colours** Off-white Black

RAL 9002 RAL 9005